

New Laser Printer &
Multi-Function Centre Line Up Series



Save money
& resources.
Now You
Can



brother®
at your side



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality prints, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

Created by Brother International Corporation, Nagoya, Japan

www.brother.com

Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies.



NOW YOU CAN

WITH BROTHER'S NEW SERIES OF LASER PRINTERS AND MULTI-FUNCTION CENTRES (MFCs)

Brother's latest line up of laser products are developed specifically for businesses of all sizes. Providing a host of business benefits to give you greater savings on your time, money and other resources – it pays to have Brother at your side.



Laser Printers

Brother's range of monochrome and colour laser printers are true workhorses developed for the modern office. Not only do they have fast print speeds and high resolutions, they have been empowered with additional tools like double-sided printing, large capacity paper handling, and more – to bring you higher printing efficiency without compromising on quality.



Laser MFCs

Enjoy the benefits of laser printing together with the advantages of other office devices – all made possible within the compact frame of a single machine. Besides laser printing, Brother's new laser MFCs also come integrated with a copier, scanner, fax and PC fax. Bundled with other efficiency-enhancing tools like Advanced Scanning and Faxing, Device Management Software and Secure Function Lock capability – this series keeps office efficiency at its peak.



Laser Fax Machines

Brother's laser fax integrates the speed and clarity of laser printing with the richness of heavy-duty fax functions, bringing you unparalleled communication capabilities. These include an integrated phone handset, fast Super G3 fax modem and up to 500 pages of large fax memory.

Brother's Business Benefits = Immediate Savings



MONEY SAVINGS

- Balanced Deployment will maximise your printing investments by placing the right printers at the right locations for the right needs!
- Connect seamlessly to any network environment with built-in Ethernet, or cut down on cable clutter with wireless networking to allow access to shared printing devices
- Value-added tools like Automatic Duplex (double-sided) printing and advanced fax functions help you cut down on paper and toner usage, which effectively reduce total operating costs
- High-yield toners, ideal for high volume printing, let you enjoy printing more at lower cost-per-page, while Toner Save Mode allows you to reduce printing costs due to lower toner usage when printing draft-quality documents
- Print allowance saves on print costs by restricting the number of pages users can print. When a user exceeds the allocated print allowance, only the administrator can reset the limit, thus managing print cost, and ensuring no overspending on toner and paper



TIME SAVINGS


- Less waiting around with fast print speeds allows you to finish print jobs quickly and devote more time to grow your business
- Leave the machine to do its job with value-added tools like Automatic Document Feeder, large paper trays and robust memory
- Advanced Scanning and USB direct print give you the option to scan and print from different file formats and to different locations, so that everything can be done in simple steps



RESOURCE SAVINGS

- Save space through the machines' small footprints, multi-functionalities, and flexible wired or wireless capabilities
- Use the Device Management Software to effortlessly configure, maintain and troubleshoot all networked devices at anywhere and anytime
- Reduce power consumption with the power save feature that only powers up when you need to print. Reduce your electricity bills with Energy-Star awarded products
- Minimise your impact to the environment by reducing the paper usage with double-sided printing
- Brother's separate toner & drum system allows you to continue using the drum for a few toner cycles so you not only save cost, but also the environment with reduced wastage

BROTHER'S BUSINESS BENEFITS



NOW YOU CAN

Increase Work Efficiency In The Office

Brother has bundled a host of tools and devices into our new laser products to let you do more with your printers. What's more, with our innovations, these efficiency enhancers are available without increasing your total cost of ownership. So work faster and smarter, with Brother at your side.

• Why wait?

Increase print productivity by getting professional quality output (1,200 x 1,200dpi resolution) at faster print speeds (up to 30ppm)

• Want to improve productivity?

Do more for the price of one with our MFCs, which are all-in-one printers, copiers, scanners, fax and more

• Need easy-to-use tools to simplify your work?

Here's what we offer:

Speedy Document Management

Distributes and stores electronic documents with the use of one-touch button. Scan your document as a file or an image, and send it off via email or save to the PC, USB flash memory drive, or FTP - perfect for document sharing

Easy-to-use Advanced Scanning

Scan-to-OCR (Optical Character Recognition) automatically converts a printed document to text for easy editing



Advanced Faxing

To simplify document workflow, you can preview your received fax on your PC to eliminate unnecessary printing of junk faxes. You can also store incoming faxes in the MFC's memory even when the PC is switched off or send fax over the Internet to keep communication costs low

Advanced Job Monitoring

Checks the log on high volume printing to spot usage trends and abuses, thus allowing you to monitor toner usage and track wasteful print habits

What about integrated devices?

We've got them ready for you too:

- Save up to 50% on paper costs with Automatic Duplex (double-sided) printing
- Duplex Automatic Document Feeder (ADF) allows you to load several sheets at a time for scanning and copying double-sided documents unattended; even incoming faxes can be printed double-sided to reduce paper consumption by half
- Wired & wireless networking allow multiple users to share multi-tasking capabilities like PC Fax and scan-to functions reliably, seamlessly and securely across the network
- Additional paper trays let you print more pages without refilling paper frequently



NOW YOU CAN

Count On Brother's More Than A Century Of Experience

Brother's experiences in developing printing and imaging solutions have allowed us to pre-empt our customers' needs and requirements. As such, besides improving on printing hardware and software, we have also added other solutions and services to make your business operations flow much smoother.

- Ability to secure and prioritise print and fax jobs - you can now ensure that confidential files can be printed by only the right personnel with password access. This can be done on PDF files too so that your documents cannot be altered. Furthermore, a Secure Function Lock feature allows administrators to set individual levels of access for multiple users to specific device features such as faxing, copying and scanning
- Easy management of network devices with Brother's Device Management Software that monitors, diagnoses, alerts and logs - allowing the administrator to remotely handle any events easily
- Consultancy service to help offices achieve Balanced Deployment of machines versus demands

NOW YOU CAN

Have Excellent Support

Ongoing support for our clients is important to us. Therefore, when you invest in a Brother product, you will be getting one of the best after-sales support in the market.

- 3 years warranty including priority phone support to give you peace of mind
- On-site technical support to add convenience to your investment
- Upgradeable options for paper trays and memory, to allow for future-proofing when your business needs to grow



NOW YOU CAN

Be Environmentally Friendly



As an environmentally conscious company, Brother's printing solutions reduce impact to the environment. Our machines are energy savers that automatically reduce power consumption after a designated period of inactivity. This means you can be sure you are not using unnecessary power and reduce your carbon footprint.

- Our machines' eco-friendliness is determined by the RoHS (Restriction of Hazardous Substances) directive
- Brother also recycles cartridges and machines to reduce the impact to the environment



Features listed in the brochure may not be found in all models. Please refer to each individual model specification chart for more details.

Monochrome

Colour

Multi-Function Centres



DCP-8070D



DCP-8085DN



MFC-8370DN



MFC-8380DN



MFC-8880DN



MFC-8890DW



MFC-8220



MFC-9450CDN



MFC-9840CDW

KEY FUNCTIONS	4-in-1 Print, Colour Scan, Copy, Direct Print & Duplex	4-in-1 Print, Colour Scan, Copy, Direct Print, Duplex & Network	5-in-1 Print, Fax, Copy, Colour Scan, PC Fax & Duplex & Network	5-in-1 Print, Fax, Copy, Colour Scan, PC Fax & Duplex & Network	5-in-1 Print, Fax, Copy, Colour Scan, PC Fax & Duplex & Network	6-in-1 Print, Fax, Copy, Colour Scan, PC Fax & Duplex & Network & Wireless	5-in-1 Print, Fax, Copy, Scan, PC Fax & Handset	5-in-1 Print, Fax, Copy, Scan, PC Fax, Duplex & Network	6-in-1 Print, Fax, Copy, Scan, PC Fax, Internet Fax, Duplex & Wireless Network	
PRINT VOLUME										
Recommended Monthly Duty Cycle	Up to 30,000 pages	Up to 30,000 pages	Up to 30,000 pages	Up to 30,000 pages	Up to 30,000 pages	Up to 30,000 pages	Up to 20,000 pages	Up to 35,000 pages	Up to 35,000 pages	
PRINTING										
Print Speed (A4 / Letter)	Up to 28 / 30 ppm	Up to 30 / 32 ppm	Up to 28 / 30 ppm	Up to 30 / 32 ppm	Up to 30 / 32 ppm	Up to 30 / 32 ppm	Up to 20 / 21 ppm	Up to 20 (Mono) / 21ppm (Colour)	Up to 20 (Mono) / 21ppm (Colour)	
Print Resolution	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	300 x 600 dpi	Up to 2,400 x 600 dpi	Up to 2,400 x 600 dpi	
First Print Out Time	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 10 secs	Less than 16 (Mono) / 17secs (Colour)	Less than 16 (Mono) / 17secs (Colour)	
Duplex Feature	Built-In Duplex Print	Built-In Duplex Print, Copy and Scan	Built-In Duplex Print, Fax (Only receiving)	Built-In Duplex Print, Fax, Copy and Scan	Built-In Duplex Print, Fax, Copy and Scan	Built-In Duplex Print, Fax, Copy and Scan	Manual	Built-In Duplex Print, Fax, Copy and Scan	Built-In Duplex Print, Fax, Copy and Scan	
Special Print Functions	N-in-1 Printing, Poster Printing, Watermark Printing, Booklet Printing, Secure Printing	N-in-1 Printing, Poster Printing, Watermark Printing, Booklet Printing, Secure Printing, Secure Function Lock	N-in-1 Printing, Poster Printing, Watermark Printing, Booklet Printing, Secure Printing	N-in-1 Printing, Poster Printing, Watermark Printing, Booklet Printing, Secure Printing, Secure Function Lock	N-in-1 Printing, Poster Printing, Watermark Printing, Booklet Printing, Secure Printing, Secure Function Lock	N-in-1 Printing, Poster Printing, Watermark Printing, Booklet Printing, Secure Printing, Secure Function Lock	N-in-1 Printing, Secure Printing	N-in-1 Printing, Lock Colour Usage	N-in-1 Printing, Lock Colour Usage	
Printer Language	PCL®6, BR-Script 3, IBM Pro-Printer XL, Epson FX-850	PCL®6, BR-Script 3, IBM Pro-Printer XL, Epson FX-850	PCL®6, BR-Script 3, IBM Pro-Printer XL, Epson FX-850	PCL®6, BR-Script 3, IBM Pro-Printer XL, Epson FX-850	PCL®6, BR-Script 3, IBM Pro-Printer XL, Epson FX-850	PCL®6, BR-Script 3, IBM Pro-Printer XL, Epson FX-850	GDI, PCL®6, BR-Script 3	PCL®6, BR-Script 3	PCL®6, BR-Script 3	
COPYING										
Copy Speed (A4 / Letter)	Up to 28 / 30 cpm	Up to 30 / 32 cpm	Up to 28 / 30 cpm	Up to 30 / 32 cpm	Up to 30 / 32 cpm	Up to 30 / 32 cpm	Up to 20 / 21 cpm	Up to 16 / 17 cpm	Up to 16 / 17 cpm	
Copy Resolution	1,200 x 600 dpi	1,200 x 600 dpi	1,200 x 600 dpi	1,200 x 600 dpi	1,200 x 600 dpi	1,200 x 600 dpi	300 x 600 dpi	1,200 x 600 dpi	1,200 x 600 dpi	
First Copy Out Time	Less than 10.5 secs	Less than 10.5 secs	Less than 10.5 secs	Less than 10.5 secs	Less than 10.5 secs	Less than 10.5 secs	Less than 12 secs	Less than 21 (Mono) / 23secs (Colour)	Less than 21 (Mono) / 23secs (Colour)	
Reduction / Enlargement Ratio	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	
Multi Copy	Up to 99 copies	Up to 99 copies	Up to 99 copies	Up to 99 copies	Up to 99 copies	Up to 99 copies	Up to 99 copies	Up to 99 copies	Up to 99 copies	
SCANNING										
Scan Type	Colour - ADF or Flatbed	Colour - ADF or Flatbed	Colour - ADF or Flatbed	Colour - ADF or Flatbed	Colour - ADF or Flatbed	Colour - ADF or Flatbed	Monochrome - Sheetfed	Colour - ADF or Flatbed	Colour - ADF or Flatbed	
Method	CIS	CCD	CIS	CIS	CCD	CCD	CIS	CIS	CCD	
Resolution (Optical)	600 x 2,400 dpi	600 x 2,400 dpi	600 x 2,400 dpi	600 x 2,400 dpi	600 x 2,400 dpi	600 x 2,400 dpi	300 x 600 dpi	1,200 x 2,400 dpi	1,200 x 2,400 dpi	
Resolution (Enhanced)	19,200 x 19,200 dpi	19,200 x 19,200 dpi	19,200 x 19,200 dpi	19,200 x 19,200 dpi	19,200 x 19,200 dpi	19,200 x 19,200 dpi	9,600 x 9,600 dpi	19,200 x 19,200 dpi	19,200 x 19,200 dpi	
Scan Functions	Scan to Email / Image / OCR / File / USB	Scan to Email / Image / OCR / File / FTP / USB / Network	Scan to Email / Image / OCR / File / FTP / USB / Network	Scan to Email / Image / OCR / File / FTP / USB / Network	Scan to Email / Image / OCR / File / FTP / USB / Network	Scan to Email / Image / OCR / File / FTP / USB / Network	Scan to Email	Scan to Email / Image / OCR / File / FTP / USB	Scan to Email / Image / OCR / File / FTP / USB	
FAXING										
Modem Speed	-	-	33.6 kbps Super G3	33.6 kbps Super G3	33.6 kbps Super G3	33.6 kbps Super G3	33.6 kbps Super G3	33.6 kbps Super G3	33.6 kbps Super G3	
Transmission Speed¹	-	-	Approx. 2 secs	Approx. 2 secs	Approx. 2 secs	Approx. 2 secs	Approx. 2 secs	Approx. 2 secs	Approx. 2 secs	
Memory Transmission² / Out-of-paper Reception²	-	-	Up to 500 pages	Up to 500 pages	Up to 500 pages	Up to 500 pages	Up to 500 pages	Up to 500 pages	Up to 400 pages	
One-Touch Dial	-	-	16 locations	16 locations	40 locations	40 locations	32 locations	16 locations	40 locations	
Speed Dial	-	-	300 locations	300 locations	300 locations	300 locations	300 locations	300 locations	300 locations	
Group Dials	-	-	20 groups	20 groups	20 groups	20 groups	6 groups	20 groups	20 groups	
Broadcasting	-	-	Up to 366 locations	Up to 366 locations	Up to 390 locations	Up to 390 locations	Up to 382 locations	Up to 366 locations	Up to 390 locations	
Other Fax Features	-	-	Up to 50 locations (Manual)	Up to 50 locations (Manual)	Up to 50 locations (Manual)	Up to 50 locations (Manual)	Up to 50 locations (Manual)	Up to 50 locations (Manual)	Up to 50 locations (Manual)	
PC FAXING										
Sending (available for Window® & Mac®)	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Receiving (available for Window® only)	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
PAPER HANDLING										
Input Tray (Standard / Maximum³)	250 / 250 sheets	250 / 500 sheets	250 / 250 sheets	250 / 500 sheets	250 / 500 sheets	250 / 500 sheets	250 / 500 sheets	250 / 750 sheets	250 / 750 sheets	
Multi-Purpose Tray	50 sheets	50 sheets	50 sheets	50 sheets	50 sheets	50 sheets	1 sheet	35 sheets	50 sheets	
Automatic Document Feeder (ADF)	Yes - Up to 20 sheets	Yes - Up to 50 sheets	Yes - Up to 20 sheets	Yes - Up to 20 sheets	Yes - Up to 20 sheets	Yes - Up to 50 sheets	Yes - Up to 30 sheets	Yes - Up to 35 sheets	Yes - Up to 50 sheets	
Media Size	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 148.0 to 215.9 mm, Length 148.0 to 355.6 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 148.0 to 215.9 mm, Length 148.0 to 355.6 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 148.0 to 215.9 mm, Length 148.0 to 355.6 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 148.0 to 215.9 mm, Length 148.0 to 355.6 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 148.0 to 215.9 mm, Length 148.0 to 355.6 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 148.0 to 215.9 mm, Length 148.0 to 355.6 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 147.3 to 215.9 mm, Length 100 to 356.0 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Manual Feed Slot: Width 70 to 220 mm, Length 116.3 to 406.4 mm ADF: Width 147.3 to 215.9 mm, Length 100 to 356.0 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 147.3 to 215.9 mm, Length 147.3 to 356.0 mm	Standard Tray: A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe Multi-Purpose Tray: Width 69.8 to 216 mm, Length 116 to 406.4 mm ADF: Width 147.3 to 215.9 mm, Length 147.3 to 356.0 mm
OTHERS										
Memory (Standard / Maximum³)	64MB / 576MB	64MB / 576MB	64MB / 576MB	64MB / 576MB	64MB / 576MB	64MB / 576MB	32MB / 160MB	64MB / 576MB	128MB / 640MB	
Processor Speed	300MHz	300MHz	300MHz	300MHz	300MHz	300MHz	133MHz	300MHz	300MHz	
OS Compatibility	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux
Connectivity / Networking	Hi Speed USB 2.0	Hi Speed USB 2.0, IEEE 1284 Parallel, Built-in Ethernet 10/100 Base-Tx	Hi Speed USB 2.0, Built-in Ethernet 10/100 Base-Tx	Hi Speed USB 2.0, Built-in Ethernet 10/100 Base-Tx, USB Direct Print	Hi Speed USB 2.0, IEEE 1284 Parallel, Built-in Ethernet 10/100 Base-Tx, USB Direct Print	Hi Speed USB 2.0, IEEE 1284 Parallel, Built-in Ethernet 10/100 Base-Tx, USB Direct Print	Hi Speed USB 2.0, IEEE 1284 Parallel	Hi Speed USB 2.0, Built-in Ethernet 10/100 Base-Tx, USB Direct Print, PictBridge™	Hi Speed USB 2.0, Built-in Ethernet 10/100 Base-Tx, USB Direct Print, PictBridge™	
CONSUMABLES										
Standard-Yield Toner⁴	TN-3250: Up to 3,000 pages	TN-3250: Up to 3,000 pages	TN-3250: Up to 3,000 pages	TN-3250: Up to 3,000 pages	TN-3250: Up to 3,000 pages	TN-3250: Up to 3,000 pages	TN-3030: Up to 3,500 pages	TN-150BK: Up to 2,500 pages TN-150C, 150M, 150Y: Up to 1,500 pages each	TN-150BK: Up to 2,500 pages TN-150C, 150M, 150Y: Up to 1,500 pages each	
High-Yield Toner⁴	TN-3290: Up to 8,000 pages	TN-3290: Up to 8,000 pages	TN-3290: Up to 8,000 pages	TN-3290: Up to 8,000 pages	TN-3290: Up to 8,000 pages	TN-3290: Up to 8,000 pages	TN-3060: Up to 6,700 pages	TN-155BK: Up to 5,000 pages TN-155C, 155M, 155Y: Up to 4,000 pages each	TN-155BK: Up to 5,000 pages TN-155C, 155M, 155Y: Up to 4,000 pages each	
Drum⁵	DR-3215: Up to 25,000 pages	DR-3215: Up to 25,000 pages	DR-3215: Up to 25,000 pages	DR-3215: Up to 25,000 pages	DR-3215: Up to 25,000 pages	DR-3215: Up to 25,000 pages	DR-3000: Up to 20,000 pages	DR-150CL: Up to 17,000 pages	DR-150CL: Up to 17,000 pages	
DIMENSION and WEIGHT										
Dimension (W x D x H)	390 X 443 X 442mm	531 X 451 X 475mm	390 X 443 X 442mm	390 X 443 X 442mm	531 X 451 X 475mm	531 X 451 X 475mm	431 X 451 X 335mm	432 x 487 x 482mm	530 x 539 x 520mm	
Weight	15.3kg	18.4kg	15.5kg	15.7kg	18.6 kg	18.6 kg	11.6 kg	33.6 kg	38 kg	
SUPPORT										
Warranty	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site	

¹Brother #1 Standard Resolution ²ITU-T Test Chart, Standard Resolution ³Requires separate purchase ⁴In accordance with ISO / IEC 19752 or based on 5% coverage on A4 / Letter ⁵One page per job

Monochrome Laser Printers



HL-5340D

HL-5350DN

HL-5370DW

HL-5380DN

Colour Laser Printers



HL-4040CN

HL-4050CDN

Fax Machines



FAX-2820

FAX-2920

KEY FUNCTIONS	Print	Print	Print	Print	Print	Print	Print, Fax, Copy & Handset	Print, Fax, Copy & Handset
PRINT VOLUME								
Recommended Monthly Duty Cycle	Up to 30,000 pages	Up to 30,000 pages	Up to 30,000 pages	Up to 30,000 pages	Up to 35,000 pages	Up to 35,000 pages	-	-
PRINTING								
Print Speed (A4 / Letter)	Up to 30 / 32 ppm	Up to 30 / 32 ppm	Up to 30 / 32 ppm	Up to 30 / 32 ppm	Up to 20ppm / 21ppm	Up to 20ppm / 21ppm	Up to 14 / 15 ppm	Up to 14 / 15 ppm
Print Resolution	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 2,400 x 600 dpi	Up to 2,400 x 600 dpi	Up to 1,200 x 600 dpi	Up to 1,200 x 600 dpi
First Print Out Time	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 16 (Mono) / 17secs (Colour)	Less than 16 (Mono) / 17secs (Colour)	Less than 10 secs	Less than 10 secs
Duplex Feature	Built-in Duplex Print	Built-in Duplex Print	Built-in Duplex Print	Built-in Duplex Print	Manual	Built-in Duplex Print	Manual	Manual
Special Print Functions	N-in-1 Printing Poster Printing Watermark Printing Header-Footer Printing	N-in-1 Printing Poster Printing Watermark Printing Header-Footer Printing	N-in-1 Printing Poster Printing Watermark Printing Header-Footer Printing	N-in-1 Printing Poster Printing Watermark Printing Header-Footer Printing, Secure Printing	N-in-1 Printing Poster Printing Watermark Printing Header-Footer Printing, Secure Printing	N-in-1 Printing Poster Printing Watermark Printing Header-Footer Printing, Secure Printing	N-in-1 printing Watermark printing	N-in-1 printing Watermark printing
Printer Language	PCL®6, BR-Script 3, IBM Pro-printer XL, Epson FX-850	PCL®6, BR-Script 3, IBM Pro-printer XL, Epson FX-850	PCL®6, BR-Script 3, IBM Pro-printer XL, Epson FX-850	PCL®6, BR-Script 3, IBM Pro-printer XL, Epson FX-850	PCL®6	PCL®6 / BR-Script 3	-	-
COPYING								
Copy Speed (A4 / Letter)	-	-	-	-	-	-	Up to 14 / 15 cpm	Up to 14 / 15 cpm
Copy Resolution	-	-	-	-	-	-	200 x 300 dpi	200 x 300 dpi
First Copy Out Time	-	-	-	-	-	-	Less than 12 secs	Less than 12 secs
Reduction / Enlargement Ratio	-	-	-	-	-	-	50% - 200% in 1% increments	50% - 200% in 1% increments
Multi Copy	-	-	-	-	-	-	Up to 99 copies	Up to 99 copies
PAPER HANDLING								
Input Tray (Standard / Maximum ³)	Up to 250 / 750 sheets	Up to 250 / 750 sheets	Up to 250 / 750 sheets	Up to 250 / 750 sheets	Up to 250 sheets	Up to 250 / 750 sheets	250 sheets	250 sheets
Multi-Purpose Tray / Manual Slot	Up to 50 sheets	Up to 50 sheets	Up to 50 sheets	Up to 50 sheets	Up to 50 sheets	Up to 50 sheets	1 sheet	1 sheet
Automatic Document Feeder (ADF)	-	-	-	-	-	-	Yes - Up to 20 sheets	Yes - Up to 20 sheets
Media Size	A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe and Legal	A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe and Legal	A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe and Legal	A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe and Legal	A4, Letter, ISO B5, A5, ISO B6, A6, Exe, Legal, Folio	A4, Letter, ISO B5, A5, ISO B6, A6, Exe, Legal, Folio	A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe	A4, Letter, ISO B5, A5, A5 (Long Edge), ISO B6, A6, Exe
FAXING								
Modem Speed	-	-	-	-	-	-	14.4 kbps	33.6 kbps Super G3
Transmission Speed ¹	-	-	-	-	-	-	Approx. 6 secs	Approx. 2 secs
Memory Transmission ² / Out-of-paper Reception ²	-	-	-	-	-	-	Up to 400 pages	Up to 500 pages
One-Touch Dial	-	-	-	-	-	-	20 locations	20 locations
Speed Dial	-	-	-	-	-	-	200 locations	200 locations
Group Dials	-	-	-	-	-	-	8 groups	8 groups
Broadcasting	-	-	-	-	-	-	Up to 270 locations Up to 50 locations (Manual)	Up to 270 locations Up to 50 locations (Manual)
Other Fax Features	-	-	-	-	-	-	Auto Reduction, Error Correction Mode, Fax Forward, Fax Retrieval, Remote Access, Dual Access, Quick Scan, PC Fax Sending, Delayed Timer	Auto Reduction, Error Correction Mode, Fax Forward, Fax Retrieval, Remote Access, Dual Access, Quick Scan, PC Fax Sending, Delayed Timer
OTHERS								
Memory (Standard / Maximum ³)	16MB / 528MB of upgradeable memory	32MB / 544MB of upgradeable memory	32MB / 544MB of upgradeable memory	32MB / 544MB of upgradeable memory	64MB / 576MB of upgradeable memory	64MB / 576MB of upgradeable memory	8MB	16MB
Processor Speed	300MHz	300MHz	300MHz	300MHz	300MHz	300MHz	300MHz	96MHz
OS Compatibility	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux	Windows® 2000 Pro / XP / Vista / 2003 / 2008 Server / Windows® 7 Mac OS X 10.3.9 or greater, Linux
Connectivity / Networking	Hi-Speed USB 2.0 IEEE 1284 Parallel	Built-in Ethernet 10/100 Base-Tx Hi-Speed USB 2.0 IEEE 1284 Parallel	Built-in Ethernet 10/100 Base-Tx Built-in Wireless IEEE802.11b/g, Hi-Speed USB 2.0, IEEE 1284 Parallel	Built-in Ethernet 10/100 Base-Tx Hi-Speed USB 2.0 IEEE 1284 Parallel	Built-in Ethernet 10/100 Base-Tx USB Direct Print PictBridge™	Built-in Ethernet 10/100 Base-Tx USB Direct Print PictBridge™	Full Speed USB 2.0	Full Speed USB 2.0
CONSUMABLES								
Standard-Yield Toner ⁴	TN-3250: Up to 3,000 pages	TN-3250: Up to 3,000 pages	TN-3250: Up to 3,000 pages	TN-3250: Up to 3,000 pages	TN-150BK: Up to 2,500 pages TN-150C, 150M, 150Y: Up to 1,500 pages	TN-150BK: Up to 2,500 pages TN-150C, 150M, 150Y: Up to 1,500 pages	TN-2025: Up to 2,500 pages	TN-2025: Up to 2,500 pages
High-Yield Toner ⁴	TN-3290: Up to 8,000 pages	TN-3290: Up to 8,000 pages	TN-3290: Up to 8,000 pages	TN-3290: Up to 8,000 pages	TN-155BK: Up to 5,000 pages TN-155C, 155M, 155Y: Up to 4,000 pages	TN-155BK: Up to 5,000 pages TN-155C, 155M, 155Y: Up to 4,000 pages	-	-
Drum ⁵	DR-3215: Up to 25,000 pages	DR-3215: Up to 25,000 pages	DR-3215: Up to 25,000 pages	DR-3215: Up to 25,000 pages	DR-150CL: Up to 17,000 pages	DR-150CL: Up to 17,000 pages	DR-2025: Up to 12,000 pages	DR-2025: Up to 12,000 pages
DIMENSION and WEIGHT								
Dimension (W x D x H)	371 x 384 x 246mm	371 x 384 x 246mm	371 x 384 x 246mm	393 x 384 x 259mm	419 x 475 x 317mm	419 x 475 x 317mm	374 x 374 x 262mm	374 x 374 x 262mm
Weight	9.5 kg	9.5 kg	9.5 kg	9.5 kg	29.1 kg	29.1 kg	7.25 kg	7.25 kg
SUPPORT								
Warranty	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site	3 years on-site

¹Brother #1 Standard Resolution ²ITU-T Test Chart, Standard Resolution ³Requires separate purchase ⁴In accordance with ISO / IEC 19752 or based on 5% coverage on A4 / Letter ⁵One page per job